

Can your solvent take the pressure? New Fisher Chemical UHPLC Gradient Grade Solvents can!

- Acetonitrile
- Methanol
- Water



Fisher Chemical Solvents for UHPLC Gradient Grade Analysis

New Solvents

For over 40 years, we have been producing a full range of Fisher Chemical high purity solvents that set the standard for high sensitivity and provide accurate, reproducible, high resolution analytical separations.

We have raised the bar by introducing a unique range of UHPLC Gradient Grade Solvents.

Our solvents have an extraordinarily low solvent filtration of 0.1 µm, ensuring low baseline noise and reducing pump blockages. Perfect for those working at high pressure, where high sensitivity and a fast run rate are key to successful analysis.

In addition to a low filtration, our solvents display a remarkably high UV transmission rate making them the ideal solvent for UHPLC applications using UV detection.

SOLVENTS KEY FEATURES

- Outstanding high UV transmission
- Interference free, low baseline noise at 210 nm and 254 nm
- Low acidity & alkalinity level
- Lot-to-lot consistency
- Filtered to 0.1 µm

Fisher Chemical Solvents UHPLC Gradient Grade

Maximum sensitivity and resolution for high speed, high throughput applications

FISHER CHEMICAL SOLVENTS FOR UHPLC GRADIENT GRADE ANALYSIS			
CATALOG NUMBER	PRODUCT DESCRIPTION	PACK SIZE	PRICE DKK*
fic-A/0650/PB15	Acetonitrile, for UHPLC gradient grade analysis	1 L	281,-
fic-A/0650/PB17	Acetonitrile, for UHPLC gradient grade analysis	2.5 L	506,-
fic-M/4070/PB15	Methanol, for UHPLC gradient grade analysis	1 L	149,-
fic-M/4070/PB17	Methanol, for UHPLC gradient grade analysis	2.5 L	306,-
fic-W/0120/PB15	Water, for UHPLC gradient grade analysis	1 L	108,-
fic-W/0120/PB17	Water, for UHPLC gradient grade analysis	2.5 L	131,-



PRODUCT SPECIFICATION

A/0650 ACETONITRILE FOR UHPLC GRADIENT GRADE

Assay (GC)	>99.9%
Acidity	<0.0002 meq/g
Alkalinity	<0.0002 meq/g
Water	<0.01 %
Residue after evaporation	<1 ppm
Gradient analysis (max.eluted peak) 210 nm	<2 mAU
Gradient analysis (max.eluted peak) 220 nm	<0.1 mAU
Gradient drift at 220 nm	<8 mAU
Absorbance at 195 nm	<0.1 A.U
Absorbance at 200 nm	<0.05 A.U
Absorbance at 210 nm	<0.02 A.U
Absorbance at 220 nm	<0.01 A.U
Absorbance at 230 nm	<0.005 A.U
Absorbance at 240 nm	<0.005 A.U
Absorbance at 250 nm	<0.005 A.U
Filtered to	0.1 µm

M/4070 METHANOL FOR UHPLC GRADIENT GRADE

Assay (GC)	>99.9%
Acidity	<0.0002 meq/g
Alkalinity	<0.0001 meq/g
Water	<0.02 %
Residue after evaporation	<1 ppm
Gradient analysis (max.eluted peak) 254 nm	<0.1 mAU
Absorbance of the largest eluted peak at 220nm	<0.1 mAU
Gradient drift at 220 nm	<150 mAU
Absorbance at 210 nm	<0.2 A.U
Absorbance at 220 nm	<0.1 A.U
Absorbance at 230 nm	<0.05 A.U
Absorbance at 240 nm	<0.01 A.U
Absorbance at 250 nm	<0.005 A.U
Absorbance at 260 nm	<0.005 A.U
Filtered to	0.1 µm

W/0120 WATER FOR UHPLC GRADIENT GRADE

Conductivity	<1 µ siemens
Residue after evaporation	<1 ppm
Gradient analysis (max.eluted peak) 220 nm	<0.1 mAU
Gradient analysis (max.eluted peak) 254 nm	<0.1 mAU
Absorbance at 210 nm	<0.2 A.U
Absorbance at 220 nm	<0.1 A.U
Absorbance at 230 nm	<0.05 A.U
Absorbance at 240 nm	<0.01 A.U
Absorbance at 250 nm	<0.005 A.U
Absorbance at 260 nm	<0.005 A.U
Filtered to	0.1 µm



Fisher Chemical Solvents Selection Guide

PRODUCT DESCRIPTION	SIZE	HPLC GRADE	HPLC GRADIENT GRADE	ADVANCED HPLC GRADE	UHPLC GRADIENT GRADE	LC-MS	OPTIMA LC-MS
ACETONITRILE	500 ml	-	-	-	-	-	A955-500
	1 L	A/0626/15	A/0627/15	-	-	A/0638/15	A955-1
	1 L safety bottle	-	-	A/0632/PB15	A/0650/PB15	-	-
	2.5 L	A/0626/17	A/0627/17	-	-	A/0638/17	A955-212
	2.5 L safety bottle	A/0626/PB17	A/0627/PB17	A/0632/PB17	A/0650/PB17	-	-
	4 L	-	-	-	-	-	A955-4
	5 L	A/0626/21	A/0627/21	-	-	-	-
METHANOL	500 ml	-	-	-	-	-	A456-500
	1 L	M/4056/15	M/4058/15	-	-	M/4062/15	A456-1
	1 L safety bottle	-	-	M/4060/PB15	M/4070/PB15	-	-
	2.5 L	M/4056/17	M/4058/17	-	-	M/4062/17	A456-212
	2.5 L safety bottle	M/4056/PB17	M/4058/PB17	M/4060/PB17	M/4070/PB17	-	-
	4 L	-	-	-	-	-	A456-4
	5 L	-	M/4058/21	-	-	-	-
WATER	500 ml	-	-	-	-	-	W6-500
	1 L	W/0106/15	W/0106/15	-	-	W/0112/15	W6-1
	1 L safety bottle	-	-	W/0110/PB15	W/0120/PB15	-	-
	2.5 L	W/0106/17	W/0106/17	-	-	W/0112/17	W6-212
	2.5 L safety bottle	W/0106/PB17	W/0106/PB17	W/0110/PB17	W/0120/PB17	-	-
	4 L	-	-	-	-	-	W6-4
	5 L	-	-	-	-	-	-
ISOPROPANOL (IPA)	500 ml	-	-	-	-	-	A461-500
	1 L	P/7507/15	-	-	-	-	A461-1
	1 L safety bottle	-	-	-	-	-	-
	2.5 L	P/7507/17	P/7508/17	-	-	-	A461-212
	2.5 L safety bottle	P/7507/PB17	-	-	-	-	-
	4 L	-	-	-	-	-	A461-4
	5 L	-	-	-	-	-	-
Filtered to	0.2 µm	0.2 µm	0.2 µm	0.2 µm	0.1 µm	0.2 µm	0.2 µm

Want to know more?
Request your free copy today!

Email or fax your request
Kundeservice@thermofisher.com
fax: 70 27 99 29

* Prices are valid until December 31st, 2012

Chromatography
Columns and Consumables

Fisher Scientific
Part of Thermo Fisher Scientific

For Customer Service, call 70 27 99 20
To fax an order, use 70 27 99 29
To order online, www.fishersci.dk
Email: kundeservice@thermofisher.com

Analytical Reagents Catalogue
Volume I

Part of Thermo Fisher Scientific

Terms and Conditions
Please note that all sales are subject to our standard terms and conditions. Full details can be found on our website www.fishersci.dk

 **Fisher Scientific**
Part of Thermo Fisher Scientific

For Customer Service, call 70 27 99 20
To fax an order, use 70 27 99 29
To order online, www.fishersci.dk
Email: kundeservice@thermofisher.com

Fisher Scientific
Industrivej 3b
3550 Slangerup
©2011 Thermo Fisher Scientific Inc. All rights reserved