

Total solutions for preparation of histidine-tagged proteins

Selection Guide




GE Healthcare Life Sciences offers a wide range of products for convenient and flexible purification of histidine-tagged proteins produced in prokaryotic and eukaryotic expression systems. Five categories of chromatography media (resins) are available—Ni Sepharose™ High Performance (HP), Ni Sepharose 6 Fast Flow (FF), His Mag Sepharose Ni, which are precharged with nickel ions, TALON® Superflow™ (precharged with cobalt ions), Ni Sepharose excel, His Mag Sepharose excel (precharged with nickel ions very strongly bound to the chelating ligand), and uncharged IMAC Sepharose HP and IMAC Sepharose 6 FF. These media are available in a range of prepacked formats for convenience.

GE Healthcare's products for histidine-tagged protein purification offer the following benefits:

- Flexible choice of uncharged or nickel/cobalt precharged media
- High protein binding capacity with low leakage of nickel or cobalt ions
- Range of products covers purification of tagged proteins from prokaryotic and eukaryotic expression systems
- Different formats allow screening, capture purification, and scale-up

Use the workflow on page 5 to locate the right product for your needs on the pages of this guide.

Select your product category



Precharged Ni Sepharose products



Ni Sepharose High Performance (HP), Fast Flow (FF), and His Mag Sepharose Ni media are precharged with Ni²⁺ ions for convenience. These media provide high binding capacity combined with lower leakage of Ni²⁺ ions compared to products from other suppliers*, which ensures reliable capture of histidine-tagged proteins with high repeatability between runs.

Ni Sepharose HP has a high protein binding capacity and the small bead size ensures high-performance purification and minimal sample dilution. Ni Sepharose HP is available in lab packs and prepacked HisTrap™ HP columns, as well as His SpinTrap™ columns for small-scale purification (minipreps) by centrifugation and His MultiTrap™ HP 96-well plates for high-throughput screening and parallel purification.

Ni Sepharose 6 FF has high protein binding capacity, which converts to lower costs per prep as a result of the lower medium requirement. The flow properties of the highly cross-linked agarose matrix make it an excellent choice for purification scale-up.

Ni Sepharose 6 FF is available in bulk packs for batch purification and scale-up. The medium is also available in prepacked His MultiTrap FF 96-well filter plates for screening purposes and His GraviTrapTM columns for convenient and reproducible gravity-flow preparations. To enable reliable scale-up, Ni Sepharose 6 FF is available in HisTrap FF columns that can be connected in series, as well as larger HisPrepTM FF 16/10 columns when greater capacity is needed. Purification can be performed directly from unclarified lysates using HisTrap FF crude, His GraviTrap, His SpinTrap, and His MultiTrap columns and 96-well plates. This allows fast purifications and reduces sample preparation time, which minimizes degradation of sensitive target proteins by proteases present in the cell lysate. For process development, prepacked HiScreenTM Ni FF columns with 10 ml bed heights are used. These columns can be connected in series for increased capacity.

His Mag Sepharose Ni consists of Sepharose based magnetic beads designed for small-scale purification and expression screening of histidine-tagged proteins. These visible and dense beads allow convenient capture and simplified handling of histidine-tagged proteins using a magnetic rack.

Ni Sepharose excel and **His Mag Sepharose excel** are IMAC media designed for screening and purification of histidine-tagged proteins secreted into eukaryotic cell culture supernatants. Find out more about Ni Sepharose excel and His Mag Sepharose excel on page 10.

Technical overview

							thout scr		HYROW .	potible	4	mon
Product	Product code no.	Data file code no.	Pack size	Approx. protein binding capacity*	Ŕ	drithou	hipreps	chlero	hinge con	Je-up AK	A System	cess
Ni Sepharose High Performance	17-5268-01 17-5268-02	18-1174-40	25 ml 100 ml	40 mg/ml	:					:		
His MultiTrap HP	28-4009-89	11-0036-63	4 × 96-well filter plates	1000 μg/well	•	•						
His SpinTrap	28-4013-53	28-4046-59	50 × 100 μl	750 μg/column	•	•						
His SpinTrap Kit [¶]	28-9321-71	28-4046-59	50 × 100 μl	750 μg/column	•							
HisTrap HP	17-5247-01 17-5247-05	18-1174-40	5 × 1 ml 100 × 1 ml [§]	40 mg/column						:		
	17-5248-01 17-5248-02 17-5248-05	18-1174-40	1 × 5 ml 5 × 5 ml 100 × 5 ml [§]	200 mg/column						•		
Ni Sepharose 6 Fast Flow	17-5318-06 17-5318-01 17-5318-02 17-5318-03	11-0008-86	5 ml 25 ml 100 ml 500 ml	40 mg/ml	•	•	•		•	•		
His Mag Sepharose Ni	28-9673-88 28-9673-90 28-9799-17		2 × 1 ml 5 × 1 ml 10 × 1 ml	50 mg/ml	:							•
His MultiTrap FF	28-4009-90	11-0036-63	4 × 96-well filter plates	800 μg/well	•	•						
His GraviTrap	11-0033-99	11-0036-90	10 × 1 ml	40 mg/column			•					
His GraviTrap Kit [‡]	28-4013-51	11-0036-90	20 × 1 ml	40 mg/column			•					
HisTrap FF	17-5319-01 17-5319-02	11-0008-86	5 × 1 ml 100 × 1 ml [§]	40 mg/column				•		•		
	17-5255-01 17-5255-02	11-0008-86	5 × 5 ml 100 × 5 ml [§]	200 mg/column				•		:		
HisTrap FF crude	11-0004-58 11-0004-59	11-0012-37	5 × 1 ml 100 × 1 ml [§]	40 mg/column				•		:		
	17-5286-01 17-5286-02	11-0012-37	5 × 5 ml 100 × 5 ml [§]	200 mg/column				•		:		
HisTrap FF crude Kit [†]	28-4014-77	11-0012-37	3 × 1 ml	40 mg/column				•				
HiScreen Ni FF	28-9782-44	28-9305-81	1 × 4.7 ml	40 mg/column					•	•	•	
HisPrep FF 16/10	28-9365-51	11-0008-86	1 × 20 ml	800 mg/column					•	•		
Buffer kit												
His Buffer Kit	11-0034-00	11-0036-90					•	•				

^{*} Protein-depender

6 28-4070-92 AD 28-4070-92 AD

^{*} See Data files 18-1174-40, 11-0008-86, 28-4041-05, 28-9797-23, and 28-4041-06 for details.

Includes buffer stock solutions for approximately 10 preps using a syringe

[‡] Includes buffer stock solutions for approximately 20 preps

Includes buffer stock solutions for approximately 50 preps

[§] Available by specific customer order

Selecting Ni Sepharose products for manual/automated purification Will you use an automated purification system? No Buffers included? Syringe Gravity flow column 96-well Buffers Magnetic Batch Spin column included? beads plate Buffers No included? What are your requirements? His Mag Sepahrose Ni Ni Sepharose 6 Fast Flow His GraviTrap His SpinTrap Kit His SpinTrap Scalability/ high flow rates Process < 200 mg resolution development Clarified or unclarified sample Amount of Prepacked Prepacked histidine columns? columns? tagged protein Clarified Unclarified > 200 mg

Ni Sepharose 6 Fast Flow

Ni Sepharose excel products

Purification from eukaryotic cell culture supernatants



Traditionally, IMAC purification of histidine-tagged proteins secreted into eukaryotic cell culture supernatants often leads to stripping of the immobilized metal ions during sample application. This results in low or no binding of the target protein. Purification is further complicated by the fact that the target protein concentration is low, which results in large sample volumes. To overcome these problems, extensive sample pretreatment is required, such as buffer exchange by dialysis in combination with concentration procedures. Such pretreatment is often time-consuming and potentially harmful to sensitive proteins.


Ni Sepharose excel is a novel IMAC medium precharged with nickel ions that are bound very strongly. Ni Sepharose excel is designed primarily for capture and purification of histidine-tagged proteins secreted into eukaryotic cell culture supernatants, such as from insect cells or CHO cells. The medium is also suitable for purification of histidine-tagged proteins originating from other samples causing nickel stripping. Ni Sepharose excel is available in lab packs for scale-up and packing in chromatography columns such as Tricorn™, XK, or HiScale™ columns as well as in prepacked HisTrap excel columns, which allow purification of unclarified lysates when used with chromatography systems.

His Mag Sepharose excel are Sepharose based magnetic beads designed for small-scale purification and expression screening of histidine-tagged proteins. These visible and dense beads allow convenient capture and handling of histidine-tagged proteins using a magnetic rack.

Technical over	view					3	ghoutsc	reening	hinge con	modible de la	A system compatib	Willi
Product	Product code no.	Data file code no.	Pack size	Approx. protein binding capacity*	łił.	ghithrou	nipreps	atchloro	ringeco	dle-up	(ASYSTE	
Ni Sepharose excel	17-3712-01 17-3712-02 17-3712-03	29-0168-49	25 ml 100 ml 500 ml	10 mg/ml	:		:		:			
HisTrap excel	17-3712-05 17-3712-06	29-0168-49	5 × 1 ml 5 × 5 ml	10 mg/column 50 mg/column				:		:		
His Mag Sepharose excel	17-3712-20 17-3712-21 17-3712-22	29-0168-49	$2 \times 1 \text{ ml}$ $5 \times 1 \text{ ml}$ $10 \times 1 \text{ ml}$	10 mg/ml	•	:						

^{*} Protein-dependent

Selecting Ni Sepharose excel products



10 28-4070-92 AD 11 28-4070-92 AD 11

Precharged TALON Superflow (cobalt-based) products




TALON Superflow is a cobalt-based IMAC medium offering an alternative selectivity compared to nickel-charged media. It is the first-choice precharged medium when target protein purity is more important than target protein yield. TALON Superflow binds polyhistidine-tagged proteins with enhanced selectivity and exhibits a reduced affinity for host proteins giving lower background. The medium is suitable for IMAC purification of histidine-tagged proteins when Ni²⁺ is not the optimal choice of metal ion. It is appropriate for purifying proteins under native or denaturing conditions and allows use of imidazole concentrations in sample, wash and elution buffers that are typically lower than those used with nickel-based media.

TALON Superflow is available in lab packs for batch purification and scale-up and in versatile prepacked formats including His MultiTrap TALON 96-well filter plates for screening/parallel purification, His SpinTrap TALON for minipreps, and His GraviTrap TALON columns for reproducible gravity-flow preparations. HisTrap TALON crude columns enable direct loading of unclarified cell lysates for fast and convenient purification of histidine-tagged proteins.

Technical ove	rview					igh through	ghputsch	Reening	ity Row	notible	A System compatibility
Product	Product code no.	Data file code no.	Pack size	Approx. protein binding capacity*	Ą	igh-throu	mipre Bo	tchl Gro	ringe cor	npotible discussion and the same of the sa	ASYSTE
TALON Superflow	28-9574-99 28-9575-02	28-9664-10	10 ml 50 ml	20 mg/ml 20 mg/ml	:		:		•		
His MultiTrap TALON	29-0005-96	28-9664-10	4 × 96-well plates	up to 1 mg/well	•	•					
His SpinTrap TALON	29-0005-93	28-9664-10	50 × 100 μl	up to 1 mg/column	•						
His GraviTrap TALON	29-0005-94	28-9664-10	10 × 1 ml	up to 15 mg/column			•				
HiTrap™ TALON crude	28-9537-66 28-9538-05 28-9537-67 28-9538-09	28-9664-10	$5 \times 1 \text{ ml}$ $100 \times 1 \text{ ml}^{\dagger}$ $5 \times 5 \text{ ml}$ $100 \times 5 \text{ ml}^{\dagger}$	20 mg/column 20 mg/column 100 mg/column 100 mg/column				•		•	

^{*} Protein-dependent

Selecting TALON Superflow products for manual/automated purification



Available by specific customer order

Uncharged IMAC Sepharose products



Immobilized metal ion affinity chromatography (IMAC) exploits a molecule's affinity for chelated metal ions. The amino acid histidine present in many proteins forms complexes with transition metal ions such as Co²⁺, Cu²⁺, Zn²⁺, Ni²⁺, and Fe³⁺. Media with a suitable immobilized metal ion will therefore selectively retain proteins with exposed histidine residues. Exposed cysteine and tryptophan residues may also be involved in the binding to an immobilized metal ion but their contribution to the binding is much lower than the contribution from exposed histidine residues.

IMAC Sepharose HP medium is supplied free of metal ions. The medium can be charged with a metal ion of choice, which allows screening to select the most suitable metal ion and purification conditions for specific histidine-tagged and untagged target proteins. IMAC Sepharose HP ensures low sample dilution and excellent separation. The small bead size of the Sepharose HP matrix allows high-performance purifications. The medium is available in lab packs and in prepacked HiTrap IMAC HP columns.


IMAC Sepharose 6 FF is an uncharged medium for screening for optimal purification conditions and scaling up purification of histidine-tagged and untagged proteins. The medium is supplied ready for charging with metal ions. The excellent flow properties of IMAC Sepharose 6 FF allow easy scale-up and the medium is also available in convenient, prepacked HiTrap IMAC FF columns. Further scale-up can be achieved with HiPrep™ IMAC FF 16/10, 20 ml columns. For process development, prepacked HiScreen IMAC FF columns with 10 ml bed heights are used. These columns can be connected in series for increased capacity.

Technical overview

							High thoughput seed by the original country to the					
Product	Product code no.	Data file code no.	Pack size	Approx. protein binding capacity*	Ą	ghithrou	hipreps	ichleron Sw	ringe cor	derup	KIA SYSTER	
Uncharged IMAC Sepharose												
IMAC Sepharose High Performance	17-0920-06 17-0920-07	28-4041-05	25 ml 100 ml	40 mg/ml (Ni ²⁺)*	•				•	:		
HiTrap IMAC HP	17-0920-03 17-0920-05	28-4041-05	5 × 1 ml 5 × 5 ml	40 mg/column (Ni ²⁺)* 200 mg/column (Ni ²⁺)*					•	:		
IMAC Sepharose 6 Fast Flow	17-0921-07 17-0921-08	28-4041-06	25 ml 100 ml	40 mg/ml (Ni ²⁺)* 25 mg/ml (Cu ²⁺)* 15 mg/ml (Zn ²⁺)*	:	:	•		•	:		
HiTrap IMAC FF	17-0921-02 17-0921-04	28-4041-06	5 × 1 ml 5 × 5 ml	40 mg/column (Ni ²⁺)* 200 mg/column (Ni ²⁺)* 125 mg/column (Cu ²⁺)* 75 mg/column (Zn ²⁺)*				•	:	:		
HiPrep IMAC FF 16/10	28-9365-52	28-4041-06	1 × 20 ml	800 mg/column (Ni ²⁺)* 500 mg/column (Cu ²⁺)* 300 mg/column (Zn ²⁺)*					•	•		
HiScreen IMAC FF	28-9505-17	28-9305-81	1 × 4.7 ml	40 mg/column (Ni ²⁺)* 15 mg/column (Zn ²⁺)** 25 mg/column (Cu ²⁺)**					•	•	•	
Buffer kit												
His Buffer Kit	11-0034-00	11-0036-90				•	•	•				

^{* (}Histidine)₆-tagged proteins, protein-dependent

Selecting IMAC Sepharose products for manual/automated purification



14 28-4070-92 AD 28-4070-92 AD

esting stalling

^{**} Untagged protein, protein-dependent

For local office contact information, visit www.gelifesciences.com/contact

www.gelifesciences.com/protein-purification www.gelifesciences/sampleprep

GE Healthcare Bio-Sciences AB Björkgatan 30 751 84 Uppsala Sweden



GE, imagination at work, and GE monogram are trademarks of General Electric Company.

ÄKTA, GraviTrap, HiPrep, HiScale, HiScreen, HisPrep, HisTrap, HiTrap, MultiTrap, SpinTrap, Sepharose, and Tricorn are trademarks of GE Healthcare companies.

Superflow is a trademark of Sterogene Bioseparations Inc. TALON is a registered trademark of Clontech Inc.

IMAC Sepharose products and Ni Sepharose products

Purification and preparation of fusion proteins and affinity peptides comprising at least two adjacent histidine residues may require a license under US patent numbers 5,284,933 and 5,310,663, and equivalent patents and patent applications in other countries (assignee: Hoffman La Roche, Inc).

IMAC Sepharose products, Ni Sepharose products and Fe Sepharose products These products are sold under a license from Sigma-Aldrich under

patent number EP 1277616 (Metal chelating compositions) and equivalent patents and patent applications in other countries.

© 2006-2012 General Electric Company—All rights reserved. First published Feb. 2006.

All goods and services are sold subject to the terms and conditions of sale of the company within GE Healthcare which supplies them. A copy of these terms and conditions is available on request. Contact your local GE Healthcare representative for the most current information.

GE Healthcare UK Limited Amersham Place Little Chalfont Buckinghamshire, HP7 9NA UK

GE Healthcare Europe, GmbH Munzinger Strasse 5 D-79111 Freiburg Germany

GE Healthcare Bio-Sciences Corp. 800 Centennial Avenue, P.O. Box 1327 Piscataway, NJ 08855-1327 USA

GE Healthcare Japan Corporation Sanken Bldg., 3-25-1, Hyakunincho Shinjuku-ku, Tokyo 169-0073 Japan