

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: Copper based methanol synthesis catalyst  
Cat No. : 45776

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

##### Physical hazards

Based on available data, the classification criteria are not met

##### Health hazards

Based on available data, the classification criteria are not met

##### Environmental hazards

Acute aquatic toxicity

Category 1 (H400)

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

Chronic aquatic toxicity

Category 1 (H410)

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Warning

### Hazard Statements

H410 - Very toxic to aquatic life with long lasting effects

### Precautionary Statements

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Copper oxide	1317-38-0	EEC No. 215-269-1	63.5	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Zinc oxide	1314-13-2	215-222-5	25	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Aluminum oxide	1344-28-1	215-691-6	10	-
Magnesium oxide	1309-48-4	215-171-9	1.5	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Copper oxide	-	100 (acute) 10 (chronic)	-
Zinc oxide	-	10	-

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

<b>General Advice</b>	If symptoms persist, call a physician.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## **4.2. Most important symptoms and effects, both acute and delayed**

None reasonably foreseeable.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

Not combustible.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **5.2. Special hazards arising from the substance or mixture**

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Metal oxides.

### **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

### **6.3. Methods and material for containment and cleaning up**

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 13  
**Storage Class (LGK) (Germany)**

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Copper oxide	STEL: 2 mg/m <sup>3</sup> 15 min TWA: 1 mg/m <sup>3</sup> 8 hr		
Zinc oxide			TWA: 2 mg/m <sup>3</sup> 8 hr. fume; respirable fraction STEL: 10 mg/m <sup>3</sup> 15 min
Aluminum oxide	STEL: 30 mg/m <sup>3</sup> 15 min STEL: 12 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr TWA: 4 mg/m <sup>3</sup> 8 hr		
Magnesium oxide	STEL: 30 mg/m <sup>3</sup> 15 min STEL: 12 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr TWA: 4 mg/m <sup>3</sup> 8 hr		TWA: 4 mg/m <sup>3</sup> 8 hr. respirable dust TWA: 5 mg/m <sup>3</sup> 8 hr. fume TWA: 10 mg/m <sup>3</sup> 8 hr. total inhalable dust STEL: 10 mg/m <sup>3</sup> 15 min STEL: 12 mg/m <sup>3</sup> 15 min STEL: 30 mg/m <sup>3</sup> 15 min

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Zinc oxide 1314-13-2 ( 25 )				DNEL = 83mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Zinc oxide 1314-13-2 ( 25 )			DNEL = 0.5mg/m <sup>3</sup>	DNEL = 5mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Zinc oxide 1314-13-2 ( 25 )	PNEC = 20.6µg/L	PNEC = 117.8mg/kg sediment dw		PNEC = 100µg/L	PNEC = 35.6mg/kg soil dw
Aluminum oxide 1344-28-1 ( 10 )	PNEC = 0.3136µg/L		PNEC = 3.136µg/L	PNEC = 20mg/L	

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Zinc oxide 1314-13-2 ( 25 )	PNEC = 6.1µg/L	PNEC = 56.5mg/kg sediment dw			

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

and maintained properly

<b>Large scale/emergency use</b>	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particle filter Particulates filter conforming to EN 143
<b>Small scale/Laboratory use</b>	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
<b>Environmental exposure controls</b>	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Solid Pellets	
<b>Appearance</b>		
<b>Odor</b>	Odorless	
<b>Odor Threshold</b>	No data available	
<b>Melting Point/Range</b>	No data available	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	No information available	
<b>Flammability (liquid)</b>	Not applicable	Solid
<b>Flammability (solid,gas)</b>	No information available	
<b>Explosion Limits</b>	No data available	
<b>Flash Point</b>	No information available	<b>Method -</b> No information available
<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>pH</b>	No information available	
<b>Viscosity</b>	Not applicable	Solid
<b>Water Solubility</b>	Insoluble in water	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Vapor Pressure</b>	23 hPa @ 20 °C	
<b>Density / Specific Gravity</b>	No data available	
<b>Bulk Density</b>	No data available	
<b>Vapor Density</b>	Not applicable	Solid
<b>Particle characteristics</b>	No data available	

### 9.2. Other information

<b>Evaporation Rate</b>	Not applicable - Solid
-------------------------	------------------------

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

<b>Hazardous Polymerization</b>	No information available.
<b>Hazardous Reactions</b>	None under normal processing.

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

## 10.4. Conditions to avoid

Incompatible products. Excess heat.

## 10.5. Incompatible materials

Acids. Strong bases. Halogens. halocarbons. Aluminium. Metals. Oxidizing agent.

## 10.6. Hazardous decomposition products

Metal oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

No data available

Inhalation

No data available

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Copper oxide	-	LD50 > 2000 mg/kg ( Rat )	-
Zinc oxide	LD50 > 5000 mg/kg ( Rat )	LD50 > 2000 mg/kg, 24h (Rat)	LC50 > 5.7 mg/L, 4h (Rat)
Aluminum oxide	> 5000 mg/kg ( Rat ) (OECD Guideline 401)	-	> 2.3 mg/l 4 h (OECD Guideline 403)
Magnesium oxide	LD50 = 3990 mg/kg ( Rat ) LD50 = 3870 mg/kg ( Rat )	-	-

##### (b) skin corrosion/irritation;

No data available

##### (c) serious eye damage/irritation;

No data available

##### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

Component	Test method	Test species	Study result
Zinc oxide 1314-13-2 ( 25 )	in vivo OECD Test Guideline 406 Test method B.6	guinea pig	non-sensitising

##### (e) germ cell mutagenicity;

No data available

Component	Test method	Test species	Study result
Zinc oxide 1314-13-2 ( 25 )	in vitro OECD Test Guideline 471 Bacterial Reverse Mutation Test	in vitro: Bacteria	negative
	in vivo OECD Test Guideline 474 Mammalian	in vivo Mammalian	negative

##### (f) carcinogenicity;

No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

Component	EU	UK	Germany	IARC
Aluminum oxide			Cat. 2 (Fibre dust)	

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable  
Solid

Symptoms / effects, both acute and delayed No information available.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Copper oxide	Onchorhynchus mykiss: LC50: 25 mg/L/48h	Daphnia: EC50: 0.04 mg/L/48h	
Zinc oxide	LC50: = 1.55 mg/L, 96h static (Danio rerio)		

Component	Microtox	M-Factor
Copper oxide		100 (acute) 10 (chronic)
Zinc oxide		10

### 12.2. Persistence and degradability

**Persistence**  
**Degradability**  
**Degradation in sewage treatment plant**

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
Insoluble in water, May persist.  
Not relevant for inorganic substances.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

### 12.4. Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

### 12.5. Results of PBT and vPvB

No data available for assessment.



# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

## assessment

### 12.6. Endocrine disrupting properties

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

#### **Persistent Organic Pollutant**

This product does not contain any known or suspected substance

#### **Ozone Depletion Potential**

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Should not be released into the environment.

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

#### **European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Do not let this chemical enter the environment.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### 14.1. UN number

UN3077

#### 14.2. UN proper shipping name

Environmentally hazardous substances, solid, n.o.s.  
(Copper(II) oxide, Zinc oxide)

#### Technical Shipping Name

#### 14.3. Transport hazard class(es)

9

#### 14.4. Packing group

III

### ADR

#### 14.1. UN number

UN3077

#### 14.2. UN proper shipping name

Environmentally hazardous substances, solid, n.o.s.  
(Copper(II) oxide, Zinc oxide)

#### Technical Shipping Name

#### 14.3. Transport hazard class(es)

9

#### 14.4. Packing group

III

### IATA

#### 14.1. UN number

UN3077

#### 14.2. UN proper shipping name

Environmentally hazardous substances, solid, n.o.s.  
(Copper(II) oxide, Zinc oxide)

#### Technical Shipping Name

#### 14.3. Transport hazard class(es)

9

#### 14.4. Packing group

III

#### 14.5. Environmental hazards

Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Copper oxide	1317-38-0	215-269-1	-	-	X	X	KE-08942	X	X
Zinc oxide	1314-13-2	215-222-5	-	-	X	X	KE-35565	X	X
Aluminum oxide	1344-28-1	215-691-6	-	-	X	X	KE-01012	X	X
Magnesium oxide	1309-48-4	215-171-9	-	-	X	X	KE-22728	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Copper oxide	1317-38-0	X	ACTIVE	X	-	X	X	X
Zinc oxide	1314-13-2	X	ACTIVE	X	-	X	X	X
Aluminum oxide	1344-28-1	X	ACTIVE	X	-	X	X	X
Magnesium oxide	1309-48-4	X	ACTIVE	X	-	X	X	X

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Copper oxide	1317-38-0	-	-	-
Zinc oxide	1314-13-2	-	Use restricted. See item 75. (see link for restriction details)	-
Aluminum oxide	1344-28-1	-	-	-
Magnesium oxide	1309-48-4	-	-	-

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Copper oxide	1317-38-0	Not applicable	Not applicable
Zinc oxide	1314-13-2	Not applicable	Not applicable
Aluminum oxide	1344-28-1	Not applicable	Not applicable
Magnesium oxide	1309-48-4	Not applicable	Not applicable

**Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals**

Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Copper oxide	WGK 3	
Zinc oxide	WGK2	
Aluminum oxide	nwg	
Magnesium oxide	WGK1	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Magnesium oxide 1309-48-4 ( 1.5 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

# SAFETY DATA SHEET

Copper based methanol synthesis catalyst

Revision Date 17-Mar-2024

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 17-Mar-2024

**Revision Summary** New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**