

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 24-Nov-2010

Revision Date 13-Jun-2024

Revision Number 5

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier	
Product Description: Cat No. : Synonyms	DL-Lactic acid, 80-85% aqueous solution L14259 DL-2-Hydroxypropanoic acid
Unique Formula Identifier (UFI)	QM8F-PT7K-VW0J-JPRP
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended Use Uses advised against	Laboratory chemicals. No Information available
1.3. Details of the supplier of the sa	fety data sheet
Company	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US:</b> 001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US:</b> 001-800-424-9300 / <b>Europe:</b> 001-703-527-3887
Poison Centre - Emergency information services	Ireland : National Poisons Information Centre (NPIC) - 01 809 2166 (8am-10pm, 7 days a week) Malta : +356 2395 2000 Cyprus : +357 2240 5611

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Based on available data, the classification criteria are not met

#### DL-Lactic acid, 80-85% aqueous solution

#### Health hazards

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

Danger

#### Hazard Statements

H314 - Causes severe skin burns and eye damage EUH071 - Corrosive to the respiratory tract

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### 2.3. Other hazards

Toxic to terrestrial vertebrates This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Lactic acid	50-21-5	EEC No. 200-018-0	80 - 90	Skin Corr. 1C (H314) Eye Dam. 1 (H318) (EUH071)
Water	7732-18-5	231-791-2	10 - 20	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Lactic acid	Eye Dam. 1 : C ≥ 3 % Eye Irrit. 2 : 1 % ≤ C < 3 % Skin Irrit. 2 : C ≥ 10 %	-	-

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.	
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.	
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.	
Self-Protection of the First Aider	Use personal protective equipment as required.	
4.2. Most important symptoms and effects, both acute and delayed		

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

#### DL-Lactic acid, 80-85% aqueous solution

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2. Environmental precautions

Should not be released into the environment.

#### 6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Class 8A Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### DL-Lactic acid, 80-85% aqueous solution

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Lactic acid 50-21-5(80 - 90)	DNEL = 592mg/m <sup>3</sup>		DNEL = 592mg/m <sup>3</sup>	

#### Predicted No Effect Concentration (PNEC)

No information available.

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	> 480 minutes	0.38mm	EN 374	As tested under EN374-3 Determination of
Neoprene	> 480 minutes	0.55 mm		Resistance to Permeation by Chemicals
Butyl rubber	> 480 minutes	0.35mm		-
PVA	> 360 minutes	0.6 mm		
 Skin and body prot	taction Long clo	aved clothing		

Skin and body protection Long sleeved clothing.

#### Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Organic gases and vapours filter Type A Brown conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced. **Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State	Very viscous Liquid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	No information available pungent No data available 18 °C / 64.4 °F No data available 122 °C / 251.6 °F No data available Not applicable No data available	@ 15 mmHg Liquid
Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wate	110 °C / 230 °F No data available No data available No information available No data available Soluble No information available	Method - No information available
Component Lactic acid Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics	log Pow -0.54 No data available 1.200 Not applicable No data available Not applicable (liquid)	Liquid (Air = 1.0)
9.2. Other information		

**Molecular Weight** 

90.08

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous react	ions
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	

Revision Date 13-Jun-2024

Excess heat. Incompatible products.

#### 10.5. Incompatible materials

Acids. Bases. Strong oxidizing agents. Reducing Agent.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;Based on available data, the classification criteria are not metOralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lactic acid	LD50 = 3543 mg/kg (Rat)	>2 g/kg (Rabbit)	LC50 > 7.94 mg/L (Rat)4 h
Water	-	-	-

(b) skin corrosion/irritation;	Category 1 C
(c) serious eye damage/irritation;	Category 1
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	None known.
(j) aspiration hazard;	No data available
Other Adverse Effects	The toxicological properties have not been fully investigated.
Symptoms / effects,both acute and	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

DL-Lactic acid, 80-85% aqueous so	lution	Revision Date 13-Jun-2024	
delayed	Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.		
11.2. Information on other hazards	-		
Endocrine Disrupting Properties	Assess endocrine disrupting properties for hun known or suspected endocrine disruptors.	nan health. This product does not contain any	
SE	ECTION 12: ECOLOGICAL INFORM	IATION	
<u>12.1. Toxicity</u> Ecotoxicity effects	Do not empty into drains.		
<u>12.2. Persistence and degradability</u> Persistence	Persistence is unlikely.		
12.3. Bioaccumulative potential	Bioaccumulation is unlikely		
Component	log Pow	Bioconcentration factor (BCF)	
Lactic acid	-0.54	No data available	
12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils No data available for assessment.		
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors		
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or su This product does not contain any known or su		
SE	CTION 13: DISPOSAL CONSIDER	ATIONS	
13.1. Waste treatment methods			
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of ir on waste and hazardous waste. Dispose of in a		
Contaminated Packaging	Dispose of this container to hazardous or spec	ial waste collection point.	
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.		

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH**Other Information** and harm aquatic organisms.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. DL-Lactic acid 8 III
ADR	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. DL-Lactic acid 8 III
IATA	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. DL-Lactic acid 8 III
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Lactic acid	50-21-5	200-018-0	-	-	Х	Х	KE-21802	Х	Х
Water	7732-18-5	231-791-2	-	-	Х	Х	KE-35400	Х	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Lactic acid	50-21-5	Х	ACTIVE	Х	-	Х	Х	Х
Water	7732-18-5	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	5	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Lactic acid	50-21-5	-	-	-
Water	7732-18-5	-	-	-

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Lactic acid	50-21-5	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Lactic acid	WGK1	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Lactic acid 50-21-5 ( 80 - 90 )	Prohibited and Restricted Substances		

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH071 - Corrosive to the respiratory tract

#### Legend

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances	
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances	AICS - Australian Inventory of Chemical Substances
<b>KECL</b> - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
······	
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	Predicted No Effect Concentration (PNEC)
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	<b>POW</b> - Partition coefficient Octanol:Water
<b>PBT</b> - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of	ICAO/IATA - International Civil Aviation Organization/International Air
Dangerous Goods by Road	Transport Association
<b>IMO/IMDG</b> - International Maritime Organization/International Maritime	<b>MARPOL</b> - International Convention for the Prevention of Pollution from
Dangerous Goods Code	Ships
OECD - Organisation for Economic Co-operation and Development	ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor	VOC - (Volatile Organic Compound)
Kay literature references and sources for data	

Key literature references and sources for data https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth HazardsCalculation methodEnvironmental hazardsCalculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By	Health, Safety and Environmental Department
Creation Date	24-Nov-2010
Revision Date	13-Jun-2024
Revision Summary	New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of Safety Data Sheet