

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 11-Jun-2009

Revision Date 18-Oct-2023

Revision Number 13

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| Product Description: | Toluene |
|---------------------------|---|
| Cat No. : | T/2150/15, T/2150/MC15, T/2150/PB15, T/2150/17, T/2150/PB17, T/2150/25, T/2150/27 |
| Synonyms | Tol; Methylbenzene |
| Index No | 601-021-00-3 |
| CAS No | 108-88-3 |
| EC No | 203-625-9 |
| Molecular Formula | C7 H8 |
| REACH registration number | 01-2119471310-51 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended Use Sector of use | Laboratory chemicals. SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites |
|----------------------------------|---|
| Product category | PC21 - Laboratory chemicals |
| Process categories | PROC15 - Use as a laboratory reagent |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name

Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Toluene

Revision Date 18-Oct-2023

Physical hazards

Flammable liquids

Health hazards

Aspiration Toxicity Skin Corrosion/Irritation Reproductive Toxicity Specific target organ toxicity - (single exposure) Specific target organ toxicity - (repeated exposure)

Environmental hazards

Chronic aquatic toxicity

Category 2 (H225)

Category 1 (H304) Category 2 (H315) Category 2 (H361d) Category 3 (H336) Category 2 (H373)

Category 3 (H412)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H225 Highly flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H336 May cause drowsiness or dizziness
- H361d Suspected of damaging the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure if inhaled
- H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P264 - Wash face, hands and any exposed skin thoroughly after handling

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

2.3. Other hazards

Substance is not considered to be persistent, bioaccumulative and toxic (PBT) Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

Toluene

SAFETY DATA SHEET

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-----------|----------|-----------|----------|--|
| Toluene | 108-88-3 | 203-625-9 | <=100 | Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336) Repr. 2 (H361d) STOT RE 2 (H373) Aquatic Chronic 3 (H412) |

| REACH registration number | 01-2119471310-51 |
|---------------------------|------------------|
|---------------------------|------------------|

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | If symptoms persist, call a physician. |
|-------------------------------------|---|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration). |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| 4.2. Most important symptoms and | effects, both acute and delayed |
| | Difficulty in breathing. Causes central nervous system depression: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting |
| 4.3. Indication of any immediate me | edical attention and special treatment needed |
| Notes to Physician | Treat symptomatically. Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung edema or pneumonia. Symptoms may be delayed. |
| | SECTION 5: FIREFIGHTING MEASURES |

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

L.

Toluene

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3

Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-----------|------------------------------------|-------------------------------------|------------------------------------|
| Toluene | STEL: 100 ppm 15 min | TWA: 50 ppm (8hr) | TWA: 192 mg/m ³ 8 hr. |
| | STEL: 384 mg/m ³ 15 min | TWA: 192 mg/m ³ (8hr) | TWA: 50 ppm 8 hr. |
| | TWA: 50 ppm 8 hr | STEL: 100 ppm (15min) | STEL: 384 mg/m ³ 15 min |
| | TWA: 191 mg/m ³ 8 hr | STEL: 384 mg/m ³ (15min) | STEL: 100 ppm 15 min |
| | Skin | Skin | Skin |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local | Acute effects | Chronic effects local | Chronic effects |
|----------------------------|---------------------|-----------------|-----------------------|-------------------|
| | (Oral) | systemic (Oral) | (Oral) | systemic (Oral) |
| Toluene 108-88-3(<=100) | | | | 8.13 mg/kg bw/day |

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|----------------------------|---------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| Toluene 108-88-3(<=100) | | | | DNEL = 384mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|----------------------------|-------------------------------------|--|---------------------------------------|---------------------------------------|
| Toluene 108-88-3(<=100) | DNEL = 384mg/m ³ | DNEL = 384mg/m ³ | DNEL = 192mg/m ³ | DNEL = 192mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|----------------------------|-----------------|-------------|--------------------|-------------------|-----------------------------|
| | | sediment | | sewage treatment | |
| Toluene 108-88-3(<=100) | PNEC = 0.68mg/L | 16.39mg/kg | PNEC = 0.68mg/L | PNEC = 13.61mg/L | PNEC = 2.89mg/kg soil dw |
| | | sediment dw | | | |

| | Component | Marine water | Marine water | Marine water | Food chain | Air |
|--|-----------|--------------|--------------|--------------|------------|-----|
|--|-----------|--------------|--------------|--------------|------------|-----|

Revision Date 18-Oct-2023

| | | sediment | intermittent | |
|--------------------|-----------------|-------------|--------------|--|
| Toluene | PNEC = 0.68mg/L | PNEC = | | |
| 108-88-3 (<=100) | | 16.39mg/kg | | |
| | | sediment dw | | |

8.2. Exposure controls

Toluene

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

| Personal protective equipment | |
|-------------------------------|-----------|
| Eye Protection | Wear safe |

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

| | Hand Protection | Protectiv | ve gloves | | |
|---|-----------------------------|------------------------------------|----------------------------|----------------------------------|--|
| | Glove material Viton (R) | Breakthrough time < 240 minutes | Glove thickness 0.30 mm | EU standard Level 4 EN 374 | Glove comments Permeation rate 68 µg/cm2/min As tested under EN374-3 Determination of Resistance to Permeation by Chemicals |
| | Viton (R) | > 480 minutes | 0.70 mm | | |
| _ | Skin and body prot | ection Long sle | eved clothing. | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---------------------------------|---|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | Prevent product from entering drains. Do not allow material to contaminate ground water system. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Liquid |
|----------------|-----------|
| Appearance | Colorless |

| Odor | aromatic | |
|------------------------------------|--------------------------------------|-----------------------------------|
| Odor Threshold | 1.74 ppm | |
| Melting Point/Range | -95 °C / -139 °F | |
| Softening Point | No data available | |
| Boiling Point/Range | 111 °C / 231.8 °F | @ 760 mmHg |
| Flammability (liquid) | Highly flammable | On basis of test data |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | Lower 1.2 vol% | |
| | Upper 7 vol% | |
| Flash Point | 4 °C / 39.2 °F | Method - No information available |
| Autoignition Temperature | 535 °C / 995 °F | |
| Decomposition Temperature | No data available | |
| рН | No information available | |
| Viscosity | 0.6 mPa.s @ 20 °C | |
| Water Solubility | practically insoluble 0.5 g/L @ 20°C | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/w | vater) | |
| Component | log Pow | |
| Toluene | 2.73 | |
| Vapor Pressure | 29 mbar @ 20 °C | |
| Density / Specific Gravity | 0.866 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | 3.1 | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |
| 9.2. Other information | | |
| Molecular Formula | C7 H8 | |
| Molecular Weight | 92.14 | |
| Explosive Properties | Not explosive Vapors may form expl | osive mixtures with air |
| Oxidizing Properties | Not oxidising | |
| | | |

2.4 (Butyl acetate = 1.0)

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | None known, based on information available |
|---|---|
| 10.2. Chemical stability | Stable under normal conditions. |
| 10.3. Possibility of hazardous react | ions |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. |
| 10.4. Conditions to avoid | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. |
| 10.5. Incompatible materials | Strong oxidizing agents. Strong acids. Strong bases. Halogenated compounds. |
| 10.6. Hazardous decomposition pro | |

Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

Evaporation Rate

Toluene

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral

Dermal

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------|--------------------|----------------------|--------------------|
| Toluene | > 5000 mg/kg (Rat) | 12000 mg/kg (Rabbit) | 26700 ppm (Rat)1 h |

| (b) skin corrosion/irritation; Test method Test species Observational endpoint | Category 2 OECD 404 rabbit Irritating to skin |
|---|---|
| (c) serious eye damage/irritation; | Based on available data, the classification criteria are not met |
| (d) respiratory or skin sensitization; Respiratory Skin | Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met |
| (e) germ cell mutagenicity; | Based on available data, the classification criteria are not met |
| | Not mutagenic in AMES Test |
| (f) carcinogenicity; | Based on available data, the classification criteria are not met |
| | There are no known carcinogenic chemicals in this product |
| (g) reproductive toxicity; Reproductive Effects Developmental Effects Teratogenicity | Category 2 Experiments have shown reproductive toxicity effects on laboratory animals. Developmental effects have occurred in experimental animals. Possible risk of harm to the unborn child. |
| (h) STOT-single exposure; | Category 3 |
| Results / Target organs | Central nervous system (CNS). |
| (i) STOT-repeated exposure; | Category 2 |
| Target Organs | Liver, Kidney, Central nervous system (CNS), Blood, spleen, Neuropsychological effects, Eyes, Ears. |
| (j) aspiration hazard; | Category 1 |
| Symptoms / effects,both acute and delayed | Causes central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. |
| 11.2. Information on other hazards | |
| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. This product does not contain any |

Toluene

SAFETY DATA SHEET

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Toxic to aquatic organisms.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-----------|--|--|--|
| Toluene | 50-70 mg/L LC50 96 h 5-7 mg/L LC50 96 h 15-19 mg/L LC50 96 h 28 mg/L LC50 96 h 12 mg/L LC50 96 h | EC50: = 11.5 mg/L, 48h (Daphnia magna) EC50: 5.46 - 9.83 mg/L, 48h Static (Daphnia magna) | EC50: = 12.5 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: > 433 mg/L, 96h (Pseudokirchneriella subcapitata) |

| Component | Microtox | M-Factor |
|-----------|-------------------------|----------|
| Toluene | EC50 = 19.7 mg/L 30 min | |

12.2. Persistence and degradability Readily biodegradable

| Persistence | | Persistence is unlikely. | |
|-----------------------------------|-------------|---|---|
| | Compone | ent | Degradability |
| | Toluene |) | 86% (20d) |
| | 108-88-3(<= | =100) | |
| Degradation in se treatment plant | 0 | Contains substances known to be water treatment plants. | e hazardous to the environment or not degradable in waste |

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-----------|---------|-------------------------------|
| Toluene | 2.73 | 90 |

| <u>12.4. Mobility in soil</u> | The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely mobile in the environment due its low water solubility. |
|---|--|
| 12.5. Results of PBT and vPvB assessment | Substance is not considered to be persistent, bioaccumulative and toxic (PBT). Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB). |
| <u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information | This product does not contain any known or suspected endocrine disruptors |
| <u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential | This product does not contain any known or suspected substance This product does not contain any known or suspected substance |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused | Waste is classified as hazardous. Dispose of in accordance with the European Directives |
|----------------------------|---|
| Products | on waste and hazardous waste. Dispose of in accordance with local regulations. |

| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition. | | | |
|--------------------------------|---|--|--|--|
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. | | | |
| Other Information | Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains. | | | |

SECTION 14: TRANSPORT INFORMATION

Toluene

| <u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group | UN1294 TOLUENE 3 II |
|---|----------------------------------|
| ADR | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u> | UN1294 TOLUENE 3 II |
| IATA | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u> | UN1294 TOLUENE 3 II |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| <u>14.7. Maritime transport in bulk</u> according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|-----------|----------|-----------|---------|---------|-------|------|----------|-------|-------|
| Toluene | 108-88-3 | 203-625-9 | - | - | Х | Х | KE-33936 | Х | Х |
| | | | | | | | | | |
| Component | CAS No | TSCA | TSCA In | ventory | DSL | NDSL | AICS | NZIoC | PICCS |

Toluene

Revision Date 18-Oct-2023

| | | | notification - Active-Inactive | | | | | |
|---------|----------|---|-----------------------------------|---|---|---|---|---|
| Toluene | 108-88-3 | Х | ACTIVE | Х | - | Х | Х | Х |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|----------|---|--|---|
| Toluene | 108-88-3 | - | Use restricted. See item 48. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - | Seveso III Directive (2012/18/EC) - |
|-----------|----------|--|-------------------------------------|
| | | Qualifying Quantities for Major Accident Notification | Requirements |
| Toluene | 108-88-3 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | nponent Germany - Water Classification (AwSV) Germany - TA-Luft Class | |
|-----------|---|--|
| Toluene | WGK3 | |

| Component | France - INRS (Tables of occupational diseases) |
|-----------|--|
| Toluene | Tableaux des maladies professionnelles (TMP) - RG 4bis,RG 84 |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|----------------------------|--|---|--|
| Toluene 108-88-3(<=100) | Prohibited and Restricted Substances | Group I | |

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H361d - Suspected of damaging the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapor

Legend

| CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory al DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals |
|--|--|
| WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic | TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor | ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound) |

Key literature references and sources for data https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Toluene

Creation Date Revision Date Revision Summary

11-Jun-2009 18-Oct-2023 Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet