

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 20-Mar-2024

Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:Ringer's Solution, lactate-bufferedCat No. :J67572

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe:**001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements None required

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	98.9	-
Sodium chloride	7647-14-5	231-598-3	0.585	-
Sodium bicarbonate	144-55-8	205-633-8	0.235	-
Propanoic acid, 2-hydroxy-, monosodium salt	72-17-3	EEC No. 200-772-0	0.224	-
Potassium chloride	7447-40-7	231-211-8	0.028	-
Magnesium sulfate	7487-88-9	EEC No. 231-298-2	0.014	-
Calcium chloride	10043-52-4	233-140-8	0.014	Eye Irrit. 2 (H319)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.			
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.			
Self-Protection of the First Aider	No special precautions required.			
4.2. Most important symptoms and effects, both acute and delayed				

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Not combustible.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

None reasonably foreseeable.

Hazardous Combustion Products

Hydrogen chloride, Calcium oxides, Potassium oxides, Sodium oxides, Magnesium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510Class 12Storage Class (LGK) (Germany)Class 12

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium chloride		DNEL = 295.52mg/kg		DNEL = 295.52mg/kg
7647-14-5 (0.585)		bw/day		bw/day
Potassium chloride		DNEL = 910mg/kg		DNEL = 303mg/kg
7447-40-7 (0.028)		bw/day		bw/day
Magnesium sulfate				DNEL = 21.3mg/kg
7487-88-9 (0.014)				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Sodium chloride 7647-14-5(0.585)		DNEL = 2068.62mg/m ³		DNEL = 2068.62mg/m ³
Potassium chloride 7447-40-7 (0.028)		DNEL = 5320mg/m ³		DNEL = 1064mg/m ³
Magnesium sulfate 7487-88-9 (0.014)				DNEL = 37.6mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Sodium chloride	PNEC = 5mg/L			PNEC = 500mg/L	PNEC = 4.86mg/kg
7647-14-5 (0.585)				-	soil dw
Propanoic acid,	PNEC = 1.6mg/L			PNEC = 11mg/L	
2-hydroxy-, monosodium	-				

Ringer's Solution, lactate-buffered

Revision Date 20-Mar-2024

salt 72-17-3 (0.224)				
Potassium chloride 7447-40-7 (0.028)	PNEC = 0.1mg/L	PNEC = 1mg/L	PNEC = 10mg/L	
Magnesium sulfate 7487-88-9 (0.014)	PNEC = 0.68mg/L	PNEC = 6.8mg/L	PNEC = 10mg/L	

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Potassium chloride 7447-40-7 (0.028)	PNEC = 0.1mg/L				
Magnesium sulfate 7487-88-9 (0.014)	PNEC = 0.068mg/L				

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

I	Personal protective equi Eye Protection		fety glasses with side	e shields (or goggles)	(European standard - EN 166)
	Hand Protection	Protectiv	ve gloves		
	Glove material Natural rubber	Breakthrough time See manufacturers	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				
011	a at 1 1	1 1 4 1		

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	No protective equipment is needed under normal use conditions.
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particle filter
Small scale/Laboratory use	Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
----------------	--------

Appearance Colorless

Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
PH	Not applicable	
Viscosity	No data available	
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/w	vater)	
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Ringer's Solution, lactate-buffered

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reacti	ons
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat.
10.5. Incompatible materials	None known.

10.6. Hazardous decomposition products

Hydrogen chloride. Calcium oxides. Potassium oxides. Sodium oxides. Magnesium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral

Based on available data, the classification criteria are not met

Ringer's Solution, lactate-buffered

Dermal Inhalation

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Water	-	-	-	
Sodium chloride	LD50 = 3 g/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat)1 h	
Sodium bicarbonate	LD50 = 4220 mg/kg(Rat)	-	-	
Propanoic acid, 2-hydroxy-, monosodium salt	-	LD50 > 2000 mg/kg (Rabbit)	LC50 > 7.94 mg/L (Rat)4 h	
Potassium chloride	Potassium chloride LD50 = 2600 mg/kg (Rat)		-	
Calcium chloride	2301 mg/kg (Rat)	LD50 > 5000 mg/kg (Rabbit)	-	

- (b) skin corrosion/irritation; No data available
- (c) serious eye damage/irritation; No data available
- (d) respiratory or skin sensitization;
Respiratory
SkinNo data available
No data available
- (e) germ cell mutagenicity; No data available
- (f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

- (g) reproductive toxicity; No data available
- (h) STOT-single exposure; No data available
- (i) STOT-repeated exposure; No data available
- Target OrgansNo information available.
- (j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available. delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ringer's Solution, lactate-buffered

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h	
Sodium bicarbonate	LC50: 8250 - 9000 mg/L, 96h static (Lepomis macrochirus)	EC50: 2350 mg/L/48h	EC50: 650 mg/L/120h
Potassium chloride	Lepomis macrochirus: LC50: 1060 mg/L /96h Pimephales promelas: LC50: 750 - 1020 mg/L /96h	EC50: 825 mg/L/48h	EC50: 2500 mg/L/72h
Magnesium sulfate	LC50: 2610 - 3080 mg/L, 96h static (Pimephales promelas)	EC50: 266.4 - 417.3 mg/L, 48h Static (Daphnia magna)	EC50: = 2700 mg/L, 72h (Desmodesmus subspicatus)
Calcium chloride	Lepomis macrochirus: LC50: 10650 mg/L/96h	EC50: 52 mg/L/48h	

Component	Microtox	M-Factor
Sodium bicarbonate	-	
Magnesium sulfate	= 84000 mg/L EC50 Photobacterium phosphoreum 30 min	

12.2. Persistence and degradability Persistence	Miscible with water, Persistence is unlikely, based on information available.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
<u>12.5. Results of PBT and vPvB</u> assessment	No data available for assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects	

SECTION 13: DISPOSAL CONSIDERATIONS

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

13.1. Waste treatment methods

Persistent Organic Pollutant

Ozone Depletion Potential

Waste from Residues/Unused Products	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
Contaminated Packaging	Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO	Not regulated
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	
ADR	Not regulated
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	
ΙΑΤΑ	Not regulated
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Ringer's Solution, lactate-buffered

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	Х	Х	KE-35400	Х	-
Sodium chloride	7647-14-5	231-598-3	-	-	Х	Х	KE-31387	Х	Х
Sodium bicarbonate	144-55-8	205-633-8	-	-	Х	Х	KE-31360	Х	Х
Propanoic acid, 2-hydroxy-, monosodium salt	72-17-3	200-772-0	-	-	Х	Х	KE-20862	Х	Х
Potassium chloride	7447-40-7	231-211-8	-	-	Х	Х	KE-29086	Х	Х
Magnesium sulfate	7487-88-9	231-298-2	-	-	Х	Х	KE-22752	Х	Х
Calcium chloride	10043-52-4	233-140-8	-	-	X	Х	KE-04496	Х	Х

Ringer's Solution, lactate-buffered

Revision Date 20-Mar-2024

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	Х	ACTIVE	Х	-	Х	X	Х
Sodium chloride	7647-14-5	Х	ACTIVE	Х	-	Х	X	Х
Sodium bicarbonate	144-55-8	Х	ACTIVE	Х	-	Х	X	Х
Propanoic acid, 2-hydroxy-, monosodium salt	72-17-3	Х	ACTIVE	Х	-	Х	Х	Х
Potassium chloride	7447-40-7	Х	ACTIVE	Х	-	Х	X	Х
Magnesium sulfate	7487-88-9	Х	ACTIVE	X	-	X	X	Х
Calcium chloride	10043-52-4	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Sodium chloride	7647-14-5	-	-	-
Sodium bicarbonate	144-55-8	-	-	-
Propanoic acid, 2-hydroxy-, monosodium salt	72-17-3	-	-	-
Potassium chloride	7447-40-7	-	-	-
Magnesium sulfate	7487-88-9	-	-	-
Calcium chloride	10043-52-4	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report
		Notification	Requirements
Water	7732-18-5	Not applicable	Not applicable
Sodium chloride	7647-14-5	Not applicable	Not applicable
Sodium bicarbonate	144-55-8	Not applicable	Not applicable
Propanoic acid, 2-hydroxy-, monosodium salt	72-17-3	Not applicable	Not applicable
Potassium chloride	7447-40-7	Not applicable	Not applicable
Magnesium sulfate	7487-88-9	Not applicable	Not applicable
Calcium chloride	10043-52-4	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Sodium chloride	WGK1	
Sodium bicarbonate	WGK1	
Potassium chloride	WGK1	
Magnesium sulfate	WGK1	
Calcium chloride	WGK1	

Component	France - INRS (Tables of occupational diseases)
Sodium chloride	Tableaux des maladies professionnelles (TMP) - RG 78
Potassium chloride	Tableaux des maladies professionnelles (TMP) - RG 67

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium chloride	Prohibited and Restricted		
7647-14-5 (0.585)	Substances		
Magnesium sulfate	Prohibited and Restricted		
7487-88-9 (0.014)	Substances		
Calcium chloride	Prohibited and Restricted		
10043-52-4 (0.014)	Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	,
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	Predicted No Effect Concentration (PNEC)
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative

Ringer's Solution, lactate-buffered

Revision Date 20-Mar-2024

ADR - European Agreement Concerning the Internation Dangerous Goods by Road	al Carriage of ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
IMO/IMDG - International Maritime Organization/International Dangerous Goods Code	
OECD - Organisation for Economic Co-operation and De	
BCF - Bioconcentration factor	VOC - (Volatile Organic Compound)
Key literature references and sources for data https://echa.europa.eu/information-on-chemicals	
Suppliers safety data sheet, Chemadvisor - LOLI,	Merck index, RTECS
Classification and procedure used to derive th	e classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:
Physical hazards On basis of	of test data
Health Hazards Calculation	n method

Health Hazards Environmental hazards

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By	Health, Safety and Environmental Department
Revision Date	20-Mar-2024
Revision Summary	New emergency telephone response service provider.

Calculation method

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet